



BEAUBIEN SUSPENSION




type	suspension					
materials	body :	powder coated aluminium				
	hardware :	brass				
	sphere :	milk glass (G50-G80)				
	canopy :	powder coated steel				
	wire :	nylon				
total height	23"	27"	31"	35"	41"	53"
	584 mm	686mm	787mm	889mm	1041mm	1346mm
weight	min. 2.4 lb / 1.1 kg - max. 2.7 lb / 1.2 kg					
light bulb	LED (included), 1 x 4.5W + 3 x 3.5W					
sockets	G9					
voltage	120V / 240V					
dimmer	refer to our recommended list of dimmer models					
certifications	 					
notes	<ul style="list-style-type: none"> - must be installed by an electrician; - additional charges for modifications or for special orders; - lead time between 7-9 weeks; - dimensions are approximate and may vary slightly. 					



ORDER GUIDE: SKU

COLLECTION		MODEL	FINISH (body + hardware)	HEIGHT
BEA	beaubien	02	BLBR black body brass hardware BLGR black body graphite hardware	A 23" / 584 mm B 27" / 686 mm C 31" / 787 mm D 35" / 889 mm E 41" / 1041 mm F 53" / 1346 mm V custom
BEA		02	BLBR	A = BEA02BLBRA



FINISH



brass




flat black



graphite

CANOPY


swivel option for slanted ceiling




example

LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS



Frosted
4.5W
100V-120V / 240V
450 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty



Frosted
3.5W
100V-120V / 240V
350 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty



SPHERES



G80 $\varnothing \pm 3'' / 80 \text{ mm}$



G50 $\varnothing \pm 2'' / 50 \text{ mm}$

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.